

# GD350-IP55 Series

High-protection Multi-function VFD



# Goodrive350 -IP55

GD350-IP55 is INVT's latest high protection multifunction VFD. The IP55 protection rating provides the best protection experience for most harsh outdoor applications. GD350-IP55 also incorporates features such as ease of use, excellent performance, high scalability and wide usage. At the same time, an integrated AC switch also provides convenience and security for machine control and debugging.



## Features



IP55 protection level



AC switch for safe control



Drive various motors



Strong scalability: support to insert 3 extension cards at the same time



Isolated air duct



Sectional cover design makes the wiring simple

## Application



Aquaculture farm



Water treatment



Fan




## Product Specification

	Function description	Specification
Power Input	Input voltage (V)	-4 model: 3PH 380V(-15%)-440V(+10%)
	Input current (A)	50Hz or 60Hz, allowable range: 47-63Hz
Power output	Output Voltage (V)	0-input voltage
	Output frequency (Hz)	0-400Hz
Technical control performance	Control mode	SVPWM control, SVC, VC
	Motor type	Asynchronous motor, permanent-magnet synchronous motor
	Speed regulation ratio	Asynchronous motor 1: 200 (SVC); Synchronous motor 1: 20 (SVC) , 1:1000 (VC)
	Speed control precision	±0.2%(SVC), ±0.02%(VC)
	Speed fluctuation	± 0.3%(SVC)
	Torque response	<20ms(SVC) , <10ms(VC)
	Torque control precision	10%(SVC) , 5%(VC)
	Starting torque	Asynchronous motor: 0.25Hz/150% (SVC) Synchronous motor: 2.5 Hz/150% (SVC) 0Hz/200% (VC)
	Overload capacity	G type: 150%: 1min; 180%: 10s; 200%: 1s; P type: 120%: 1min;
Running control performance	Frequency setup mode	Digital, analog, pulse frequency, multi-step speed running, simple PLC, PID, Modbus communication, PROFIBUS communication, etc. Realize switch-over between the set combination and the set channel
	Automatic voltage regulation function	Keep the output voltage constant when grid voltage changes
	Fault protection function	Provide over 30 kinds of fault protection functions: overcurrent, overvoltage, undervoltage, over-temperature, phase loss and overload, etc.
	Speed tracking restart	Realize impact-free starting of the motor in rotating. Note: This function is available for 004G/5R5P and above models
Peripheral interface	Analog input	2
	Analog output	1
	Digital input	4 S terminal, 2 HDI
	Digital output	1 Y1, 1HDO
	Relay output	2 programmable relay output, NO/NC contact; RO1A, RO1B, RO1C RO2A, RO2B, RO2C
	Communication interface	1 RS485 (non-isolated), 1 USB
	STO input	2 redundant input
Optional cards	Expansion interface	Maximum 3 expansion interfaces: SLOT1, SLOT2, SLOT3
	Expansion I/O card	4 DI, 1 AI, 1 AO, 1 DO, 2 RO
	Communication card	Optional Profibus-DP, CANopen, Profinet, EtherCAT, Ethernet/IP, Modbus TCP etc.
	PG card	EC-PG503-06: 5V Differential Incremental (H2)
		EC-PG504-00: Resolver type PG card (D1)
		EC-PG505-12: 5V/12V Multifunctional Incremental (H1)
		EC-PG505-24: 24V Incremental PG card
	EC-PG502: SIN/COS PG card	
	EC-PG507-12: Multifunctional Incremental PG card	
Programmable card	PLC card, 1 AI, 6 DI, 1 AO, 2 Relay, 1 RS485	
Wireless communication	Bluetooth, WiFi, realize wireless communication	
Others	Installation mode	Wall mounting, flange mounting
	Temperature	-10-50°C (Derating is required if the ambient temperature exceeds40°C)
	Protection level	IP55
	Cooling mode	Forced air cooling
	Braking unit	37kW or below: standard built-in 45kW or above: optional built-in
	STO level	SIL2
	EMC filter	380V models fulfill the requirements of IEC61800-3 C3, up to 30m cable length shielded,



*Your trusted industry automation solution provider*



Service line: 86-755-23535967 E-mail: [overseas@invt.com.cn](mailto:overseas@invt.com.cn) Website: [www.invt.com](http://www.invt.com)

SHENZHEN INVT ELECTRIC CO.,LTD. INVT Guangming Technology Building, Songbai Road, Matian, Guangming District, Shenzhen, China

- |                               |  |                                       |                            |                                   |
|-------------------------------|--|---------------------------------------|----------------------------|-----------------------------------|
| <b>Industrial Automation:</b> | • Frequency AC Drive                         | • Servo & Motion Control              | • Motor & Electric Spindle | • PLC                             |
|                               | • HMI  | • Intelligent Elevator Control System | • Traction Drive           |                                   |
| <b>Electric Power:</b>        | • SVG  | • Solar Pump Controller               | • UPS                      | • Online Energy Management System |
|                               | • New Energy Vehicle Electric Control System |                                       |                            |                                   |

INVT Copyright.  
Information may be subject to change without notice during product improving.

66003-00241 20210111(V1.0)